

Entry Projector

RICOH
imagine. change.

RICOH
PJ S2340
PJ X2340



Projection
brightness
up to
3,000lm

SVGA and
XGA
resolution

4,500 hours
lamp life;
6,000 hours
in Eco Mode

See the value in reaching any audience, anywhere

You want your audience to see your latest great idea. So why not put it right in front of them? Use the innovative RICOH® PJ S2340/PJ X2340 to project images, videos, presentations and more with amazing brightness, color and clarity quickly in almost any environment. Transport the affordable, lightweight system with ease and showcase your best work at projection sizes ranging from 30 inches to 300 inches wide diagonally, even when placed only a few feet away from the screen or wall. No network connection is required, so it's easy to set up and use in classrooms, conference rooms and other venues. Even better, it's designed to use less energy, so you can save operating costs, too.


Choose how you want to present yourself

Tailor your presentation to fit your message and your audience. Choose from two affordable portable projection systems depending on your specific needs. With clearer images, you won't have to worry about casting doubts either. For smaller screens, still images, PowerPoint presentations and projections of your desktop computer screen, opt for the entry-level RICOH PJ S2340 for incredible convenience at a budget-easing price. If you're planning on also showing more videos and fine-detailed images, choose the RICOH PJ X2340 for higher image quality that's sure to impress audiences without taxing your budget.



Put information where it needs to be

You have important information to share. The longer you keep it to yourself, the less value it has. Use the PJ S2340/PJ X2340 to bring images of documents, photos, blueprints, presentations and more with you and put them in front of the key decision makers who need them most. Add this versatile projection system to your collection of personal mobile devices you already use to stay productive whether you're in the office, conducting a training session, in front of a client or on the move. Because it's portable and requires no IT support to operate, you can carry your best ideas with you without ever slowing down, even when you need to make an important presentation at a moment's notice.



Present with confidence within your budget

Add clarity to every message

You can't share what you can't see. Use the PJ S2340/PJ X2340 to display your presentation on the big screen in more than one billion colors and sharp, precise lines so participants can see important details clearly from every angle. With the PJ S2340, you can project images with SVGA resolution at up to 800 x 600 dpi with a 4:3 aspect ratio for easy viewing. Showcase more detailed images and videos with XGA resolution at up to 1024 x 768 with the PJ X2340. Both models offer 3,000 lumens and a 2,200:1 contrast ratio, so you can impress audiences with bright, crisp visuals in even moderately lit rooms. Add optional 3D projection tools to give your audience an up-close-and-personal look at CAD drawings, blueprints, special videos and more.



Make your presentations compelling and convenient

Keep all eyes fixated on the screen, instead of you or the projector. Use the convenient remote control to stay out of the way as you navigate through your presentation or adjust settings. Take advantage of multiple input terminals, including an HDMI port, to plug in a wider range of multimedia devices, including desktop computers, laptops, tablets, DVD and Blu-ray players and more. Use the focus lever on top of the device to fine-tune blurred images or text easily. Your audience can hear everything clearly from the internal speakers. Or, add external speakers for even more impressive audio that matches the on-screen action. Worried about auxiliary noise during quieter moments? The projectors can operate with noise levels as low as 31 dB.



Save energy, cut costs and avoid the hassle

Focus on what's most important. Get your message to the right people for the right price. The PJ S2340/PJ X2340 uses Digital Light Processing (DLP) technology for more precise presentations with brighter colors, more consistency and less lag. When you present in Eco Mode, you can adjust brightness for darker colors automatically to reduce energy usage without affecting the image. As a result, you can extend lamp life from 4,500 hours to a whopping 6,000 hours. Should you need to replace any parts, take advantage of the three-year warranty and order new ones from your Ricoh support team.



RICOH PJ S2340 / PJ X2340

MAIN SPECIFICATIONS

| Model | | PJ S2340 | PJ X2340 |
|---|------------------------|--|----------------------|
| Projector Part Number | | 432120 | 432119 |
| Replacement Lamp Part Number | | 512984 | |
| System | | Single Chip DLP® | |
| Resolution | | SVGA – 800 x 600 dpi | XGA – 1024 x 768 dpi |
| Panel | Size | 0.55" | |
| | Aspect Ratio | 4:3 (16:9 compatible) | |
| White Light Output (Brightness) | | 3,000 Lumens | |
| Contrast Ratio | | 2200:1 | |
| Screen Size | | 30" to 300" | |
| Projection Mode | | Standard, Rear, Ceiling, Rear Ceiling | |
| Projection Distance (from rear of unit to projection surface) | | 1.2 – 13.1 meters | |
| Projection Ratio | | 1.95 – 2.15 | |
| Lamp Type¹ | | High Pressure Mercury | |
| Color Reproducibility | | 1,073,000,000 Colors | |
| Lamp Wattage | Standard Mode/Eco Mode | 190W/160W | |
| Lamp Life | Standard Mode/Eco Mode | 4,500 hours/6,000 hours | |
| Projection Lens | Lens | Built-in | |
| | Keystone | Manual: Vertical Only | |
| | Zoom Ratio | 1:1 | |
| | Zoom/Focus | Manual/Manual | |
| Interface | Input Signals | NTSC, PAL, SECAM, PAL-M, PAL-60, NTSC 4.43, 60Hz, 50Hz | |
| | Image Input | Mini D-SUB 15 x 1, HDMI x 1 | |
| | Image Output | Mini D-SUB 15 x 1 | |
| | Video Input | RCA x 1 | |
| | Audio Input 1 | 3.5 mm diameter Mini Jack | |
| | Audio Output | 3.5 mm diameter Mini Jack | |
| | HDMI | HDMI (Type A) x 1 | |
| | Wireless LAN | Optional | |
| PC Control | | RS-232C 3 pin x 1 (Service Only) | |
| Built-in Speaker | | 2W Mono | |
| Dimensions (WxDxH) | | 286 x 100 x 208 mm | |
| Weight | | 2.4 kg | |
| Power Source | | 100/240V; 50 – 60 Hz | |
| Power Consumption While Operating | Standard Mode | 248W (Typical) 266W (Max.) | |
| | Eco Mode | 210W | |
| | Standby Mode | 0.5W | |
| Storage & Transportation Environment | | Temperature -4 ~ 140° F; Humidity: 20 ~ 80% | |
| Fan Noise | Standard Mode/Eco Mode | Standard Mode: 36 dB or less; Eco Mode: 31 dB or less | |
| Features | | AV Mute (Blank), Freeze, Re-size (Magnify), Keystone (Manual Only), Password Protection, Wall Color Mode, Kensington Lock, Eco Mode, 3D Projection Ready | |
| Included with Projector | | CD-ROM with user manual, Quick start guide, RGB cable, Power cord, Remote control and batteries, Lens cover | |

RICOH
imagine. change.

URL: <http://www.ricoh.co.in>

RICOH INDIA LIMITED

CORPORATE OFFICE: 2nd Floor, Salcon Aurum Building, Plot No. 4, District Centre, Jasola, New Delhi-110 025
Tel: (011) 49103000, 49103100, 49103200 Fax: (011) 49103099, 49103199 Email: ril.info@ricoh.co.in SMS: 'RICOH' to 53456
REGISTERED OFFICE: 801, 8th Floor, Ackruti Star, MIDC Central Road, Andheri-East, Mumbai - 400 093
Tel: (022) 66833000 Fax: (022) 67032099

Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Coimbatore, Delhi, Gurgaon, Guwahati, Hyderabad, Jaipur, Kochi, Kolkata, Lucknow, Mumbai, Nagpur, Noida, Patna, Pune, Ranchi, Visakhapatnam.

For further information, please contact: