

Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. The M C250FW is a compact fax-enabled 4-in-1 MFP. Its large colour touchscreen panel simplifies operation and, to save time, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and enables different sizes and types of paper to be held online, ready for use.

Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria and GCP
- Near Field Communication
- UHY toner cartridges

Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria and Google Cloud Print. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.



RICOH M C250FW/ RICOH P C301W

MAIN SPECIFICATIONS

GENERAL	RICOH M C250FW		RICOH P C301W		
		B 11			
Configuration		Desktop			
Гесhnology		Laser			
Varm-up time		20 seconds			
First output speed: B/W		9.4 seconds			
First output speed: full colour		9.8 seconds			
Continuous output speed		25 ppm			
Memory: standard		256 MB			
Memory: maximum		256 MB			
SPDF capacity	50 sheets	2002			
Outy cycle	30 silects	65,000	-		
Duplex		Yes			
Veight	20 kg	163	25 kg		
Dimensions: W x D x H	30 kg 420 x 493 x 473 mm		25 kg 400 x 450 x 334 mm		
Power source	420 X 493 X 473 IIIIII	220 - 240 V, 50 - 60 Hz	400 X 450 X 554 111111		
COPIER (RICOH M C250FW)					
Multiple copying	Up to 99 copies		-		
Zoom	From 25% to 400% in 1% steps		-		
D card copy	Yes		-		
PRINTER					
MINIER					
Printing process	Laser beam scanning, electro-photographic printing				
Printer language: standard		PCL5c			
		PCL6			
		PostScript® 3™			
Print resolution		Maximum:2,400 x 600 dpi			
Font	St	andard:PCL (80 fonts), PS3 (80 fon	ts)		
Network interface: standard		Ethernet 10 base-T/100 base-TX			
		Wireless LAN (IEEE 802.11 a/b/g/n)			
		USB 2.0			
Mobile printing capability		Apple AirPrint			
woone printing capability		Mopria®			
		Google Cloud Print			
Vindows® environments		Windows® 7			
VIII dows crivilorin cris		Windows® 8.1			
		Windows® 10			
		Windows® Server 2008			
		Windows® Server 2008R2			
		Windows® Server 2012			
		Windows® Server 2012R2			
		Windows® Server 2016			
Mac OS environments		Macintosh OS X v10.10 - v10.13			
Other supported environments		Linux environment			
sure: supported sixtuorinisms		Emax on mornion			
SCANNER (RICOH M C250FW)					
Scanning: B/W	21 ipm		-		
Scanning: full colour	12 ipm		-		
Resolution: maximum	19,200 dpi		-		
Resolution: standard	600 dpi		-		
Bundled drivers Scan modes	Network TWAIN E-mail,Folder,USB		-		
ocan moues	E-Mail,F0lder,USB		-		
FAX (RICOH M C250FW)					
Circuit	PSTN		-		
Compatibility	ITU-T(T.37) Internet-Fax,T30 (ITU-T Su	per G3)	-		
Transmission speed	3 seconds		-		
Modem speed: maximum	33.6 Kbps		-		
nternet fax	Standard		-		
.AN fax	Standard		-		
PAPER HANDLING					
Recommended paper size		A4			
		A5			
		A6			
		B4			
Name and the state of the state		B5			
Paper input: standard		250 sheets			
Paper input: bypass		1 sheets			
Paper input: maximum		751 sheets			
Paper output: standard		150 sheets			
Paper weight		Trays:60 - 163 g/m²			
. •		Optional tray(s):60 - 105 g/m ²			
		Bypass:60 - 163 g/m²			
		Duplex:60 - 90 g/m ²			
		. •			
COLOGY					
Power consumption: max.		Less than 1,300 W			
EC*	0.31 kWh/week		0.3 kWh/week		
120	U.ST KVVIJWEEK		O.O KAAI/MCCK		

RICOH M C250FW/ RICOH P C301W

MAIN SPECIFICATIONS

method ISO/IEC 19798

	RICOH M C250FW		RICOH P C301W
OUTPUT TRAYS AND FINISHER OPTIONS			
1x 500-sheet paper tray			
CONSUMABLES			
Starter toner		Black: 1,000 prints	
		Cyan: 1,000 prints	
		Magenta: 1,000 prints	
		Yellow: 1,000 prints	
Toner (black)		6,900 prints	
Toner (cyan)		6,300 prints	
Toner (magenta)		6,300 prints	
Toner (yellow)		6,300 prints	
Consumable yield measuring			











Ricoh Denmark A/S

Delta Park 37 2665 Vallensbæk Strand Denmark



+45 70 10 67 68



www.ricoh.dk

Copytec Office Solutions ApS Gunnar Clausens Vej 7 8260 Viby J Denmark +45 86 11 40 11 www.copytec.dk



