High-speed all-in-one A4 colour devices



IM C530FB IM C530F

🗹 Copy 🗹 Print 🗹 Scan 🗹 Fax

Future-proof your processes

Want your team to work faster without compromising on quality? You don't need to create yet another 'time management' training course. There's a much smarter way to boost productivity in the 2020s. Introducing the IM C530FB and IM C530F — the high-speed, compact, all-in-one line of devices that do all of the heavy 'lifting' for you, as quick as a flash. This means your team can focus on the areas and tasks that enable them to get their work done...instead of having to wait for that 87-page report to get printed without a paper jam...

Our new A4 colour devices are specifically designed to boost your team's productivity efficiently and effectively. IM C530FB (base model) and IM C530F (finisher model) optimize digital workflows with apps and solutions available in the cloud. As a result, all of your processes can work seamlessly, without costly interruptions or waiting times.

- Work faster: Seamlessly print up to 53 pages per minute, cut waiting times and boost productivity.
- Optimize digital workflows: Share and instantly use all types of information, thanks to the MFP cloud connection.
- Scale up at your own pace: Easily customize, manage and add new features to your device, using the new 7" touchscreen control panel.
- Save space: IM C530FB and IM C530F are compact devices designed to take up less space and leave more room for your pressing needs.
- Seamlessly print documents: Print up to 3,250 sheets without interruption and make light work of printing tasks.
- Save time: With IM C530F you work more efficiently by automating manual tasks, such as separating or stapling files together, thanks to the standard finishing function.
- Intuitive and fast operation: The 7" smart operation panel provides consistent operability across multiple devices in our portfolio. Simply follow the steps on screen.

Think of all of the things you can do in a matter of seconds on your smartphone. Now imagine what your team could achieve with IM C530FB and IM C530F, the high-speed all-in-one printers designed to significantly optimize your workflows and scale up productivity.

Optimize your workflows and boost productivity with minimum hassle

High speed A4 colour printing

The IM C530FB and IM C530F, with its standard finishing function, have the capacity to seamlessly print up to 53 pages per minute and deliver up to 3,250 pages without compromising quality, thanks to the new large capacity tray. The UI provides consistent operability across multiple devices in our portfolio, so once you manage one device, you can effortlessly use any of them.



Fully digitalized workflows = flawless processes Today's fast-paced working environment dictates that you always stay connected and meet expectations as quickly as

possible.

The IM C530FB and IM C530F give you an advantage in this digital era, with easy-to-use workflow apps that connect your printer to your preferred third-party cloud services. What's more, the IM C530FB and IM C530F also restrict access to print output to the document owners only, thanks to the exclusive Streamline NX Secure Release feature. This gives you total control over who gets access to documents, whether they're members of your team or clients.


Future-proof technology to spearhead your business growth

There's no need to keep updating your devices to get access to new features and functionalities.

With our Always Current Technology, you'll instantly receive the latest updates and always stay one step ahead. IM C530FB and IM C530F allow new software features, applications and upgrades to be downloaded and installed directly to your device on request. This way, the everchanging needs of your business are promptly met. You'll never have to sit and wait for new functionalities to keep up with your business plans. Now you can easily future-proof your company's growth.



Product configuration



IM C530FB/IM C530F

MAIN SPECIFICATIONS

GENERAL	IM C530FB	IM C530F				
Narm-up time	39 seconds					
First output speed: B/W		econds				
irst output speed: full colour	4.2 s	econds				
Continuous output speed	53 ppm					
lemory: standard	2	GB				
lemory: maximum	2 GB 100 sheets					
PDF capacity						
Veight	38 kg	42 kg				
Dimensions: W x D x H	470 x 502.8 x 643.7 mm	470 x 502.8 x 843.7 mm				
Power source	220 - 240 V, 50 - 60 Hz	220 - 240 V, 50 - 60 Hz				
OPIER						
irst copy speed	BW: 6.5 seconds, Colour: 6.6 seconds					
Iultiple copying		99 copies				
Resolution		1,200 dpi				
oom	From 25% to 400% in 1% steps					
RINTER						
PU rinter language: standard		53 1.2 GHz				
rinter language: standard Print resolution: maximum	PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation) 1,200 x 1,200 dpi					
	· · · · ·					
Print resolution	PCL5::300 dpi, 600 dpi PCL6:600 dpi, 1,200 dpi					
		Ipi, 1,200 dpi				
nterface	Standard:Mainframe (Ethernet (1000BASE-T/100BASE-TX/10B					
		nory card), USB host (Type A:1Port/Support USB flash memory),				
		JSB host (Type Mini B:1Port/Support NFC IC card R/W), MicroS				
		/ireless LAN (IEEE 802.11 a/b/g/n), NFC Tag (Include :ISO1444				
		Type2 Tag Compliant)) N (IEEE 802.11a/b/g/n)				
Nobile printing capability		Jd Print, Ricoh Smart Device Connector				
Vindows® environments		er 2008, Windows® Server 2008R2, Windows® Server 2012R2				
/Vindows® environments		Server 2016				
lac OS environments		later (OS X Classic)				
	Macintosh OS X v10.12 or later					
JNIX environments	UNIX Sun® Solaris (9), HP-UX (11.x, 11i v2, 11i v3), SCO OpenServer (5.0.7, 6.0), RedHat® Linux Enterprise (4, 5, 6), IBM® A (V6.1, V7.1, V7.2), Citrix XenApp (7.15 or Later)					
SAP® environments	SAP® R/30	9, SAP® S/4®				
SCANNER						
CIS						
Scanning: full colour		x)/52 ipm (duplex)				
Scanning speed: SPDF		lpi)), Colour (46 ipm (A4, 200dpi))				
Comprossion method		pi)), Colour (52 ipm (A4, 200dpi))				
Compression method		BIG2), Grayscale, Colour: JPEG				
file formats	Single Page TIFF (Compression on, Compression off), Single page JPEG (Compression on), Single page PDF (Compression on Compression off), Single page High compression PDF (Compression on), Single page PDF/A (Compression on, Compression of Multi page TIFF (Compression on, Compression off), Multi page PDF (Compression on, Compression off), Multi page High					
		age PDF/A (Compression on, Compression off)				
Scan modes	E-mail, Folder	r, USB, SD Card				
AX						
Sircuit		N, PBX				
ransmission speed		BIG, ITUT #1 chart TTI off, memory transmission)				
Nodem speed: maximum		6 Kbps				
Resolution: standard		m, 200x100 dpi				
Compression method		m, 200x200 dpi				
Compression method		IR, MMR				
canning speed Page memory size		spm rd: 9.7 MB				
AF memory size		proximately 320 pages)				
Serial Broadcasting	Stanuaru. 4 MB (dp)	proximately of pages				
ax reception specifications						
elephone specifications						
PAPER HANDLING						
Recommended paper size	Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Executive,					
	A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper)					
aper input: standard	sheets					
Paper input: maximum) sheets				
aper output: standard	400 sheets	500 sheets				
Paper weight		plex: (60 - 176 g/m²)				
Paper types	Plain paper, Recycled paper, Special paper 1-3, Letterhead, E	nvelope, Coated paper, Middle thick paper, Thick paper 1, Thick				

IM C530FB/IM C530F

MAIN SPECIFICATIONS

COLOGY	IM C530FB	IM C530F		
			Diverse all	
ower consumption: max.	Less than 1,6		🛞 Bluetooth	
ower consumption operation:	578 W			
ower consumption operation:	633 W			
ull colour			WIFI) CERTIFIED	-
ower consumption: ready	99.8 W		CERTIFIED	n
ower consumption: sleep	0.75 W			
EC*	0.73 kWb⁄w	/eek		
It is a reference value based on)
ne ENERGY STAR Ver.3.0 test nethod.				ļ
OUTPUT TRAYS AND FINISHER	OPTIONS			
x 550-sheet paper tray	Paper size: (A4, A5, B5), Pape	er weight: (60-220 g/m²)		
,000-sheet Large capacity tray	Paper size: (A4, LT), Paper v	weight: (60-176 g/m²)		
THER OPTIONS				
THER OF HONS				
aster table, IEEE 802.11 a/g/n, N	IFC card reader, Paperlock			
ONSUMABLES				
tarter toner	Black: 7,500	prints		
	Cyan: 4,500			
	Magenta: 4,50			
	Yellow: 4,500	•		
oner (black)	20,500 pri			
oner: cyan/magenta/yellow	18,000 pri	nts		
consumable yield based on 3p/j				
% coverage on A4				

Ricoh Denmark A/S

Delta Park 37 2665 Vallensbæk Strand Denmark



+45 70 10 67 68





All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.