SP 3710 series

SP 3710DN
SP 3710SF

SP 3710 series specifications

The SP 3710 series combines high performance, with low total cost of ownership. These printers are low maintenance, and ideal for high productivity and multifunctional use. They are engineered for high reliability and are easy to use, with easy to set up optional 5GHz Wi-Fi.

Features for printers in this series include:

- Up to 32 pages per minute output
- Ultra-high yield 7,000 page toner cartridge in the box
- Supports Air print, Google cloud print via mobile devices
- Compact footprint saves on valuable office space
- Optional WiFi capability and 250-sheet tray

SP 3710DN/SP 3710SF

MAIN SPECIFICATIONS

	SP 3710DN	SP 3710SF
GENERAL		
Warm-up time (sec.)	26	30
First output speed: B/W (sec.)	7.5	
Continuous output speed (ppm)	32	
Memory: standard (MB)	128	256
Weight (kg)	13	18
Dimensions: W x D x H (mm)	370 x 392 x 262	405 x 392 x 420
Power source	220 - 240 V, 50/60 Hz	
Laser classification	Class 1 Laser Product (IEC60825 - 1:2014)	
COPIER		
Multiple copying	-	Up to 99 copies
Resolution	-	1,200 x 600 dpi
Zoom	-	From 25% to 400% in 1% steps
PRINTER		
Printer language: standard	PCL5e, PCL6, PostScript 3 (emulation)	
Print resolution: maximum (dpi)	1,200 x 1,200	
Network interface: standard	Ethernet 10 base-T/100 base-TX, USB2.0 Type B	
Network interface: option	Wireless LAN (IEEE 802.11 a/b/g/h/ac)	
Windows® environments	Windows® 7/8.1/10, Windows® Server 2008/2012/2012R2/2016	
Mac OS environments	Macintosh OS X v10.10 or later	
Other supported environments	Linux environment	
SCANNER		
Scanning: B/W (ipm)	-	13
Scanning: full colour (ipm)	-	4.5
Resolution: maximum (dpi)	-	600
FAX		
Compatibility	-	ITU-T (CCITT) G3
Transmission speed (seconds)	-	3
Modem speed: maximum (Kbps)	-	33.6
PAPER HANDLING		
Recommended paper size	A4, A5, A6, B5, B6	
Paper input: standard (sheets)	300	
Paper input: maximum (sheets)	550	
Paper output: standard (sheets)	125	50
Paper weight (g/m²)	52 - 162	
ECOLOGY		
Power consumption: max. (kWh)	Less than 1.025	
Power consumption: sleep (W)	0.72	0.87
* It is a reference value based on the ENERGY STAR Ver.3.0 test method.		
OPTIONS		
1x 250-sheet Paper tray		
CONSUMABLES		
Starter toner (prints)	7,000	
Toner (high yield) (prints)	7,000	
Consumable yield measuring method ISO/IEC 19752		

RICOH
imagine. change.

www.ricoh-europe.com