

Future-proof your processes

Want your team to work faster without compromising on quality? You don't need to create yet another 'time management' training course. There's a much smarter way to boost productivity in the 2020s. Introducing the IM C530FB and IM C530F — the high-speed, compact, all-in-one line of devices that do all of the heavy 'lifting' for you, as quick as a flash. This means your team can focus on the areas and tasks that enable them to get their work done...instead of having to wait for that 87-page report to get printed without a paper jam...

Our new A4 colour devices are specifically designed to boost your team's productivity efficiently and effectively. IM C530FB (base model) and IM C530F (finisher model) optimize digital workflows with apps and solutions available in the cloud. As a result, all of your processes can work seamlessly, without costly interruptions or waiting times.

- Work faster: Seamlessly print up to 53 pages per minute, cut waiting times and boost productivity.
- Optimize digital workflows: Share and instantly use all types of information, thanks to the MFP cloud connection.
- Scale up at your own pace: Easily customize, manage and add new features to your device, using the new 7" touchscreen control panel.
- Save space: IM C530FB and IM C530F are compact devices designed to take up less space and leave more room for your pressing needs.
- Seamlessly print documents: Print up to 3,250 sheets without interruption and make light work of printing tasks.
- Save time: With IM C530F you work more efficiently by automating manual tasks, such as separating or stapling files together, thanks to the standard finishing function.
- Intuitive and fast operation: The 7" smart operation panel provides consistent operability across multiple devices in our portfolio. Simply follow the steps on screen.

Think of all of the things you can do in a matter of seconds on your smartphone. Now imagine what your team could achieve with IM C530FB and IM C530F, the high-speed all-in-one printers designed to significantly optimize your workflows and scale up productivity.

Optimize your workflows and boost productivity with minimum hassle

High speed A4 colour printing

The IM C530FB and IM C530F, with its standard finishing function, have the capacity to seamlessly print up to 53 pages per minute and deliver up to 3,250 pages without compromising quality, thanks to the new large capacity tray. The UI provides consistent operability across multiple devices in our portfolio, so once you manage one device, you can effortlessly use any of them.



Fully digitalized workflows = flawless processes

Today's fast-paced working environment dictates that you always stay connected and meet expectations as quickly as possible.

The IM C530FB and IM C530F give you an advantage in this digital era, with easy-to-use workflow apps that connect your printer to your preferred third-party cloud services. What's more, the IM C530FB and IM C530F also restrict access to print output to the document owners only, thanks to the exclusive Streamline NX Secure Release feature. This gives you total control over who gets access to documents, whether they're members of your team or clients.

Future-proof technology to spearhead your business growth

There's no need to keep updating your devices to get access to new features and functionalities.

With our Always Current Technology, you'll instantly receive the latest updates and always stay one step ahead. IM C530FB and IM C530F allow new software features, applications and upgrades to be downloaded and installed directly to your device on request. This way, the everchanging needs of your business are promptly met. You'll never have to sit and wait for new functionalities to keep up with your business plans. Now you can easily future-proof your company's growth.



Product configuration

Internal Finisher SR1020 (for IM C530F only)

Stack capacity: 500 sheets Steple capacity: 50 sheets Dimensions: 450.8 × 477.6 × 248 mm Weight: 7 kg

Mainframe

IM C530F



7" Smart Operation Panel 100-sheet SPDE 550-sheet input may 150-sheet bypass tray 500 sheet output tray Weight 22 kg Dimensions: 470 x 502,8x 943 7 mm

Paper Feed Unit PB1180



Capacity: 530 sheets Dimensions: 420 x 464.5 x 123 mm Weight: 6.5 kg

IM C530FB



7" Smart Operation Panel 100 Amert SPDE 550 Amert Input tray 150-Sheet Dypass Tray 400 Sheet Output tray Weight 38 kg Dimensions 7 70 x 502.8 x 643.7 mm

LCT PB1190

Capacity: 2,000 sheets Dimensions: 724.2 x 772.1 x 450 mm Weight: 32.4 kg

Min mum space requirements

Front: 514 mm Left: 100 mm Right: 350 mm Rear: 305 mm Top: 234 mm

- IEEE 802.11 Interface Unit Type M43
 NTC Card Reador Type M43
 Unit odds Eart Package for SAP 10 License.
 United Eart Package for SAP 10 License.
 Counter Interface Type M12
 Medium Cabinet 76
 Low Cabinet 78
 Caster Table 74

Other options

Dimensions are stated in width x depth x height (W x D x H)



IM C530FB/IM C530F

MAIN SPECIFICATIONS

Williams prince	GENERAL	IM C530FB	IM C530F	
First colputs speech Marchael	Warm-up time	39 sec	onds	
First output penel full colour Confirmance output penel full colour Spring	•			
Conference actual speed Momeroy, momentum PSPFC accepting				
Memory Instituted				
Memory maintains SPEP capacity 38 to 100 attests 1				
SSPD Equapsion 100 sheets	•			
Weight Sa Ng				
Dimensions W x D x H				
Prover source 220 - 240 V, 50 - 60 Hz 220 - 240 V, 50 - 60 Hz	•	· ·	-	
First capy speed Multiple copying Resolution Toom First Door 1200 of pl Toom 1200 of pl Toom First Door 1200 of pl Toom First Doo				
Margile capying Resolution 2.200 m From 25% to 400% in 1% steps PRINTER PRINTER PRINTER PRINTER POL Cortex-AS3 1.2 GHz Pritt resolution P				
Resolution Zoom From 25% to 400% in 1% steps PRINTER CPU Cotex A53 1.2 GHz Printer language: standard Printer language: standard Printer language: standard Printer sculution Print resolution Print (Subsection Resolution) Print resolution Print (Subsection Resolution) Print resolution Print resolution Print resolution Print (Subsection Resolution) Print resolution Print (Subsection Resolution) Print (Subsection Resolution) Print resolution Print (Subsection Resolution Resolution) Print resolution Print (Subsection Resolution R	First copy speed	BW: 6.5 seconds, C	olour: 6.6 seconds	
PRINTER Cortex-A53.1.2 GHz Printer language: standard Print resolution Pr	Multiple copying	Up to 999	9 copies	
PRINTER CPU Cortex-AS 3.1.2 GHz Printer injudage: standard Print resolution maximum Print resolution maximum Print resolution PCL5-50 Quit (200 dp) Printer injudage: standard Print resolution PCL5-50 Quit (200 dp) Printer resolution PCL5-50	Resolution	1,200 x 1,	,200 dpi	
Criter-ASS 1.2 GHz Printer language standard Print resolution Print (Bullecotion 4.2 SD card sixt (15toRisupport SDHG memory care), USB Host 17type Art Print'Support VEOL Card RVM, MicroSD Card sixt for expansion of RCM storage of the operation unit, Wirelease LAN (IEEE 802 11 a bityn), NFC Tag (Include ISO14443 Type A.P) Print Resol Print Print Print Resol Print Print Resol Print Print Print Resolution Resolution Server 2018 Resolution Resol	Zoom	From 25% to 400% in 1% steps		
Pictus estudion maximum Pictus estudion pictus	PRINTER			
Pitrit resolution Pitrit resol				
Pirit resolution PCLS-200 dpt, 1:00 dpt PCLR-200 dpt PCLR-200 dpt, 1:00 dpt PCLR-200 dpt, 1:00 dpt PCLR-200 dp				
PCL6:00 dpi 1:200 dpi PS:580 dpi			•	
Interface Samdard Mainframe (Ethernet (1000BASE-T1/00BASE-T1/00BASE-T1, USB Dod (p) 1200 dp)	Print resolution		• • •	
Interface Slandridd Mainframe (Ethernet (1000EASE-T1/00EASE-T1/00EASE-T). USB2.0, USB Hold 2.0 (GS Dongle only), Fax), Operation Panel (Bluetonist 4.2, St. Card sidt (1500EQuiport SIPHC memory card), USB Hold (Type A Hind 1500E) and sidt for expansion of ROM storage of the operation unit, Wireless LAN (IEEE 20.1 abd (17)), NFC Tag (Include ISO14443 Type A Mini E Port/support NFC IC card RWI), MicroSD card slot for expansion of ROM storage of the operation unit, Wireless LAN (IEEE 20.1 abd (17)), NFC Tag (Include ISO14443 Type A NFC Forum Type Z Tag Compliant)) Windows® 7, Windows® 11, Windows® 10, Windows® Server 2008 (IEEE 20.1 abd (17)), NFC Tag (Include ISO14443 Windows® Environments Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008 RZ, Windows® Server 2018 Macritoch 8.5 or site (CS X Classic) Windows® 7, Windows® 11, Windows® 11, Windows® 10, Windows® Server 2008 RZ, Windows® Server 2018 Macritoch 8.5 or site (CS X Classic) Windows® 7, Windows® 11, Windows® 11, Windows® 11, Windows® 11, Windows® 11, Windows® 12, Windows® Server 2018 RZ, Windows® Server 2018 RZ				
Panel (Bulenoth 4.2, SD card slot (1SoldSupport SDHC memory card), USB host (Type AT-PortSupport USB flast (Pype AT-PortSupport USB hast (Pype AT-PortSuppor	Interface			
Mobile printing capability Mindows® 8.1, Windows® 8.1, Windows® 5.2 Server 2008, Windows® Server 2018, Windows	interior de la constantina della constantina del	Panel (Bluetooth 4.2, SD card slot (1Slot/Support SDHC memory card), USB host (Type A:1Port/Support USB flash memory), Optional USB host (TypeA:1Port/Support keyboard), Optional USB host (Type Mini B:1Port/Support NFC IC card R/W), MicroSD card slot for expansion of ROM storage of the operation unit, Wireless LAN (IEEE 802.11 a/b/g/n), NFC Tag (Include :ISO14443 Type A, NFC Forum Type2 Tag Compliant))		
Windows® Environments Windows® 1, Windows® 1, Windows® Server 2008, Windows® Server 2018 Windows® Server 2016 Windows® Server 2018 Windows® Server 2016 Windows® Server 2016 Windows® Server 2016 Windows® Server 2016 Windows® Server 2018 Windows® Server 2016 Windows® Server 2018 Wind	Mobile printing capability			
Macinosh 8.6 or later (OS X Classic) Macinosh 8.6 or later (OS X Classic) Macinosh 9.6 or later (OS X Classic) Macinosh OS X v10.12 or later UNIX sum® Solaris (9), HP-UX (11.x, 111.v2, 111.v3), SCO OpenServer (50.7, 6.0), RedHat® Linux Enterprise (4, 5, 6), IBM® AIX (V6.1, V7.1, V7.2), Citrix XenApp (7.15 or Later) SAP® R/3®, SAP® S/4® SCANNER CIS Scanning full colour Scanning speed: SPDF Compression method Single Page TiFF (Compression on, Compression (1)), Single page JPEF (Compression on, Compression off), Single page JPEF (Compression on, Compression off), Compression off), Single page JPEF (Compression on, Compression off), Multi page TiFF (Compression on, Compression Off) FAX Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) 33.6 Kbps ASA Femory size G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) 33.6 kbps ASA Femory size Standard: 4 MB (approximately 320 pages) Standard: 9.7 MB Recollinors PAPER HANDLING Recommended paper size Standard: 4 MB (approximately 320 pages) Standard: 4 MB (approximately 320 pages) Standard: 4 MB (approximately 320 pages) Standard: 550 sheets ASB, BS, BS, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray. (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray. (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray. (A4, A5,		Windows® 7, Windows® 8.1, Windows® 10, Windows® Server	2008, Windows® Server 2008R2, Windows® Server 2012R2,	
UNIX Sun® Solaris (9), HP-UX (11x, 11i v2, 11i v3), SCO OpenServer (5.0.7, 8.0), RedHat® Linux Enterprise (4, 5, 6), IBM® AIX (V8.1, V7.1, V7.2), Citrix XenApp (7.15 or Later) SAP® environments SCANNER CIS Scanning speed SPDF Compression method File formats Simplex:BW (46 ipm (simplex)52 ipm (duplex) Simplex:BW (46 ipm (A4, 200dpi)), Colour (46 ipm (A4, 200dpi)) Duplex:BW (71 ipm (A4, 200dpi)), Colour (62 ipm (A4, 200dpi)) Duplex:BW (71 ipm (A4, 200dpi)), Colour (63 ipm (A4, 200dpi)) Simplex:BW (71 ipm (A4, 200dpi)), Colour (63 ipm (A4, 200dpi)) Simplex:BW (71 ipm (A4, 200dpi)), Colour (63 ipm (A4, 200dpi)) Simplex:BW (71 ipm (A4, 200dpi)), Colour (63 ipm (A4, 200dpi)) Duplex:BW (71 ipm (A4, 200dpi)), Colour (63 ipm (A4, 200dpi)) BW: TIFF (MH, MR, MMR, MISIG2), Grayscale, Colour JPEG Single Page TIFF (Compression on, Compression on), Single page PDF (Compression on, Compression off), Multi page TIFF (Compression on, Compression on), Multi page PDF (Compression on, Compression off), Multi page PDF (Compression on, Compression off) San modes FAX Circuit PSTN, PBX Transmission speed Modem speed: maximum Resolution: standard 8x, 3 s inermm, 200x100 dpi Bx, 7:	Mac OS environments	Macintosh 8.6 or lat	ter (OS X Classic)	
SCANNER CIS Scanning: full colour Scanning:	UNIX environments	UNIX Sun® Solaris (9), HP-UX (11.x, 11i v2, 11i v3), SCO OpenS	erver (5.0.7, 6.0), RedHat® Linux Enterprise (4, 5, 6), IBM® AIX	
CIS Scanning: full colour Scanning speed: SPDF Scanning speed: SPDF Compression method File formats Single Page TIFF (Compression on, Compression on), Single page JPEG (Compression on, Compression on), Multi page PDFA (Compression on, Compression on,	SAP® environments			
Scanning: full colour Scanning speed: SPDF Simplex:BW (46 ipm (A4, 200dpi)), Colour (46 ipm (A4, 200dpi)) Duplex:BW (71 ipm (A4, 200dpi)), Colour (52 ipm (A4, 200dpi)) BW: TIFF (MH, MR, MMR, JBIG2), Grayscale, Colour: JPEG Single Page TIFF (Compression on, Compression off), Single page JPEG (Compression on, Single page PDF (Compression on, Compression off), Single page High compression on), Single page PDF (Compression on, Compression off), Multi page TIFF (Compression on, Compression off), Multi page PDF (Compression on, Compression off), Multi page PDF (Compression on, Compression off), Multi page PDF (Compression on, Compression off) Scan modes FAX Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modern speed: maximum Resolution: standard 8x3.85 line/mm, 200x200 dpi Compression method Scanning speed A6 spm Page memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard Paper weight Paper proper Paper Mandard Paper rypes Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	SCANNER			
Scanning speed: SPDF Simplex:BW (46 ipm (A4, 200dpi)), Colour (46 ipm (A4, 200dpi)) Duplex:BW (71 ipm (A4, 200dpi)), Colour (52 ipm (A4, 200dpi)) Duplex:BW (71 ipm (A4, 200dpi)), Colour (52 ipm (A4, 200dpi)) BW: TIFF (MH, MR, MMR, BMR, BIGC2), Grayscale, Colour: JPEG Single Page TIFF (Compression on, Compression off), Single page JPEG (Compression on), Single page PDF (Compression on), Multi page PDF (Compression on), Single page PDF (Compression on), Multi page PDF (Compression on), Single page PDF (Compression on), Multi page PDF (Compression on), Multi page PDF (A Compression on), Multi page PDF (Compression on), Single page PDF (A Compression on), Multi page PDF (Compression on), Single page PDF (A Compression on), Multi page PDF (Compression on), Single page PDF (A Compression on), Multi page PDF (Compression on), Single page PDF (A Compression on), Multi page PDF (Compression on), Single page PDF (A Compression on), Single page PDF (A Compression on), Single page PDF (A Compression on), Single page PDF (Compression page PDF (Compression on), Single page PDF (Compress	CIS			
Duplex:BW (71 ipm (A4, 200dpi)). Colour (52 ipm (A4, 200dpi)) Compression method File formats Single Page TIFF (Compression on, Compression on), Single page PDF (Compression on), Multi page PDF (Compression on), Single page PDF (Compression on, Compression on), Single page PDF (Compression on, Compression on, Compression on, Single page PDF (Compression on, Compression on,	Scanning: full colour	46 ipm (simplex)/-	52 ipm (duplex)	
Compression method File formats Single Page TIFF (Compression on, Compression off), Single page JPEG (Compression on), Single page PDF (Compression on, Compression off), Single page JPEG (Compression on), Single page PDF (Compression on), Compression off), Multi page TIFF (Compression on, Compression off), Multi page PDF (Compression on, Compression off) Scan modes FAX Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modem speed: maximum Resolution: standard 8x3.85 line/mm, 200x100 dpi 8x7.7 line/mm, 200x200 dpi Compression method Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications Telephone specification	Scanning speed: SPDF	Simplex:BW (46 ipm (A4, 200dpi)), Colour (46 ipm (A4, 200dpi))	
Single Page TIFF (Compression on, Compression off), Single page JPEG (Compression on, Single page PDF) (Compression on, Compression on, Compression on, Single page PDF) (Compression on, Compression on, Multi page TIFF (Compression on, Compression on, Compression off), Multi page PDF/A (Compression on, Compression off) Scan modes E-mail, Folder, USB, SD Card FAX Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modern speed: maximum Resolution: standard 8x3.85 line/mm, 200x100 dpi 8x7.7 line/mm, 200x200 dpi Compression method Scanning speed A6 spm Page memory size Standard: 9.7 MIB SAF memory size Standard: 9.7 MIB Sar reception specifications Telephone specifications Te		Duplex:BW (71 ipm (A4, 200dpi)), Colour (52 ipm (A4, 200dpi))	
Compression off), Single page High compression PDF (Compression on, Single page PDF/A (Compression on off), Multi page TIFF (Compression on, Compression on, Multi page PDF (Compression on, Multi page PDF) (Compression on, Multi page PDF) (Compression on, Multi page PDF) (Compression on, Compression off), Multi page PDF) (Compression on, Compression off) Scan modes FAX Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modern speed: maximum Resolution: standard 8x3.85 line/mm, 200x100 dpi 8x7.7 line/mm, 200x100 dpi 8x7.7 line/mm, 200x200 dpi Compression method Scanning speed MH, MR, MMR Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 9.7 MB SAF reception specifications Telephone specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard Paper input: maximum 400 sheets 500 sheets Fourter-family paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Compression method	BW: TIFF (MH, MR, MMR, JBIO	G2), Grayscale, Colour: JPEG	
Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modem speed: maximum Resolution: standard 8x3.85 line/mm, 200x100 dpi 8x3.75 line/mm, 200x200 dpi Compression method Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications Telephone specifications Tel	File formats	Compression off), Single page High compression PDF (Compress Multi page TIFF (Compression on, Compression off), Multi page	ion on), Single page PDF/A (Compression on, Compression off), ge PDF (Compression on, Compression off), Multi page High	
Circuit PSTN, PBX Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modem speed: maximum Resolution: standard 8x3.85 line/mm, 200x100 dpi 8x7.7 line/mm, 200x200 dpi Compression method Scanning speed MH, MR, MMR Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 9.7 MB Serial Broadcasting Fax reception specifications Telephone specifications Telephone specifications Telephone specifications Telephone specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard 400 sheets 500 sheets Paper veryons Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Scan modes	E-mail, Folder, U	JSB, SD Card	
Transmission speed G3: approximately 3 seconds (200 x 100 dpi, JBIG, ITUT #1 chart TTI off, memory transmission) Modem speed: maximum Resolution: standard Resolution: standa	FAX			
Modem speed: maximum Resolution: standard Resolutio				
Resolution: standard 8x3.85 line/mm, 200x100 dpi 8x7.7 line/mm, 200x200 dpi Compression method MH, MR, MMR Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum 3,250 sheets Paper output: standard 400 sheets 500 sheets Paper weight Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Transmission speed	G3: approximately 3 seconds (200 x 100 dpi, JBI	G, ITUT #1 chart TTI off, memory transmission)	
8x7.7 line/mm, 200x200 dpi Compression method Compression method MH, MR, MMR Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications Telephone specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum 3,250 sheets Paper output: standard 400 sheets 500 sheets Paper weight Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Modem speed: maximum	33.6 K	Clops	
Compression method Scanning speed Page memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications Telephone specifications Telephone specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper veight Paper weight Paper weight Paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Resolution: standard			
Scanning speed 46 spm Page memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Serial Broadcasting Fax reception specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard 400 sheets 60 - 220 g/m², Duplex: (60 - 176 g/m²) Paper types Paper tray: (A4, A5, A6, B4, B5, B6, Legal, Letter,				
Page memory size Standard: 9.7 MB SAF memory size Standard: 4 MB (approximately 320 pages) Standard: 4 MB (approximately 320 pages) PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Enry), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Enry, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard 400 sheets Foolscap, Monarch, C5, C6, DL Enry, Custom Size paper) \$550 sheets \$500 sheets Paper weight Paper weight Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Compression method	MH, MR	, MMR	
SAF memory size Serial Broadcasting Fax reception specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard Paper output: standard Paper weight Paper weight Paper ypes Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Scanning speed	46 s _l	pm	
Serial Broadcasting Fax reception specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard Paper output: standard Paper weight Paper weight Paper ypes Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Page memory size	Standard:	9.7 MB	
Fax reception specifications Telephone specifications PAPER HANDLING Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard 400 sheets Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) 550 sheets Paper output: standard 400 sheets 500 sheets Paper weight Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	SAF memory size	Standard: 4 MB (appro	Standard: 4 MB (approximately 320 pages)	
Recommended paper size Standard paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, DL Env), Optional paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard Paper output: standard Paper weight Paper weight Paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) \$550 sheets \$500 sheets \$500 sheets Paper weight Paper ypes Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Fax reception specifications			
paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Monarch, C5, C6, DL Env, Custom Size paper) Paper input: standard Paper input: maximum Paper output: standard Paper output: standard Paper weight Paper yeight Paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	PAPER HANDLING			
Paper input: maximum 3,250 sheets Paper output: standard 400 sheets 500 sheets Paper weight 60 - 220 g/m², Duplex: (60 - 176 g/m²) Paper types Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Recommended paper size	paper tray(s): (A4, A5, A6, B4, B5, B6, Legal, Letter, Half Letter, Executive, Foolscap, Envelopes), LCT (A4), Bypass tray: (A4, A5,		
Paper output: standard Paper weight Paper types Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Paper input: standard	550 sh	neets	
Paper weight 60 - 220 g/m², Duplex: (60 - 176 g/m²) Paper types Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick	Paper input: maximum	3,250 s	heets	
Paper types Plain paper, Recycled paper, Special paper 1-3, Letterhead, Envelope, Coated paper, Middle thick paper, Thick paper 1, Thick				
	Paper types			

IM C530FB/IM C530F

MAIN SPECIFICATIONS

IM C530FB	IIVI COSUF
ECOLOGY	

Power consumption: max.

Power consumption operation:
B/W

Power consumption operation:
Full colour
Power consumption: ready
Power consumption: sleep

TEC*

0.73 kWh/week

* It is a reference value based on











OUTPUT TRAYS AND FINISHER OPTIONS

the ENERGY STAR Ver.3.0 test

4x 550-sheet paper tray	Paper size: (A4, A5, B5), Paper weight: (60-220 g/m²)
2,000-sheet Large capacity tray	Paper size: (A4, LT), Paper weight: (60-176 g/m²)

OTHER OPTIONS

method.

Caster table, IEEE 802.11 a/g/n, NFC card reader, Paperlock

CONSUMABLES

5% coverage on A4

CONSUMABLES	
Starter toner	Black: 7,500 prints Cyan: 4,500 prints Magenta: 4,500 prints Yellow: 4,500 prints
Toner (black)	20,500 prints
Toner: cyan/magenta/yellow	18,000 prints
Consumable yield based on 3p/j	

Ricoh Denmark A/S

Delta Park 37 2665 Vallensbæk Strand Denmark



+45 70 10 67 68



www.ricoh.dk